



WWW.WOODSTOVEFIREPLACES.CO.ZA

**SENTINEL**  
CAST IRON & STEEL STOVES



DISTRIBUTED BY

  
**THE WOOD STOVE**  
TRADING COMPANY

WWW.WOODSTOVEFIREPLACES.CO.ZA

THE  
**OTTOWA RANGE**

Great value. Great warmth.



## INSERT RANGE

Constructed from thick 4mm steel plate with a black trim glass door and 4-sided frame, the new Sentinel Insert Range is sleek and modern. The grate is constructed from cast iron and has a pull-out ash pan below for easy cleaning.

NEW!

The stove uses the latest clean-burn technology and features excellent air wash on the glass – enhancing the beauty of the fire. It boasts superior burn control for added efficiency.



### OTTAWA MARVIC 550 INSERT

Heat output **8KW – 300m<sup>3</sup>**

Flue outlet **125mm**

Top flue outlet

Dimensions **H482mm x W570mm x D344mm**

Frame dimensions **H571 x W639**

 **76% EFFICIENCY**



### OTTAWA MARVIC 700 INSERT

Heat output **11KW – 418m<sup>3</sup>**

Flue outlet **125mm**

Top flue outlet

Dimensions **H482mm x W700mm x D344mm**

Frame dimensions **H571 x W789**

 **76% EFFICIENCY**



## DOUBLE SIDED RANGE



### OTTAWA DS TUNNEL

NEW!

*New to the range is the Ottawa DS Tunnel Double Sided stove. Available with or without a log stand.*

Heat output 11KW – 420m<sup>3</sup>

Flue outlet 125mm

Top flue outlet

Dimensions H570mm x W580mm x D420mm

Stove height with log stand 819mm

81% EFFICIENCY



### THE OTTAWA RANGE

## Warmth, comfort & enduring style

*The Ottawa Range is a carbon-neutral fireplace utilising advanced clean-burning technology and fuel-efficient design.*

*Hand-constructed from a thick steel plate and featuring a cast iron door, grate and log retainer, this is a stove that will stand the test of time while delivering warmth, comfort and enduring style.*

*All units in the range are multi-fuel stoves delivering a reliable source of heat with an accurate degree of control.*

*This stove is wonderfully hand-constructed and blends contemporary styling with modern efficiency. Clean lines make it suitable for a wide range of décor, styles and tastes.*

### STAND-OUT FEATURES

- Full vermiculite firebrick lining on the **Curve**, **Square 8** and **Compact** models
- Full vermiculite firebrick lining with steel baffle on the **DS Tunnel Double Sided**
- Clay firebrick on the **Square 12** model
- Advanced clean burn system
- Pre-heated air wash
- Thick steel plate with cast iron door, grate and log retainer across the range

[WWW.WOODSTOVEFIREPLACES.CO.ZA](http://WWW.WOODSTOVEFIREPLACES.CO.ZA)

# FREE STANDING RANGE

## OTTAWA SQUARE 12

Heat output **12KW – 450m<sup>3</sup>**

Flue outlet **150mm**

Top & rear flue outlet

Dimensions **H610mm x W584mm x D420mm**

Stove height with log stand **850mm**

Rear flue centre height

- without log stand **480mm**

- with log stand **730mm**

  
75% EFFICIENCY



## OTTAWA CURVE

Heat output **10KW – 380m<sup>3</sup>**

Flue outlet **150mm**

Top & rear flue outlet

Dimensions **H620mm x W520mm x D450mm**

Stove height with log stand **820mm**

Rear flue centre height

- without log stand **490mm**

- with log stand **690mm**

  
85% EFFICIENCY

## OTTAWA SQUARE 8

Heat output **8KW – 300m<sup>3</sup>**

Flue outlet **125mm**

Top & rear flue outlet

Dimensions **H530mm x W500mm x D300mm**

Stove height with log stand **730mm**

Rear flue centre height

- without log stand **435mm**

- with log stand **635mm**

  
80% EFFICIENCY



## OTTAWA COMPACT

Heat output **6KW – 220m<sup>3</sup>**

Flue outlet **125mm**

Top & rear flue outlet

Dimensions **H560mm x W480mm x D365mm**

Stove height with log stand **750mm**

Rear flue centre height

- without log stand **460mm**

- with log stand **650mm**

  
85% EFFICIENCY

